



NORMAN PUBLIC LIBRARY EAST BRANCH: 2016006

Interior Furnishings Specification Package for Public Bid

16 JANUARY 2018

Project Address NORMAN PUBLIC LIBRARY EAST BRANCH
3100 East Alameda St.
Norman, OK 73071

Greta Foster CERTIFIED INTERIOR DESIGNER
(612) 375-8701 | greta@msrdesign.com

Dawon Kim PROJECT CONTACT
(612) 404-0581 | dawon@msrdesign.com

710 South 2nd Street, 8th Floor
Minneapolis, Minnesota 55401-2282
612 375 0336

www.msrdesign.com

GROUP H: WATSON

PART 1 – GENERAL

SCOPE

Work includes materials, delivery and installation.
Furnish and install all furnishings as specified herein.

SUBMITTALS

Product data: Manufacturer's descriptive literature shall be submitted, indicating materials, finishes, construction and installation instructions, and verifying that product meets requirements as specified.

Manufacturer's recommendations for maintenance and cleaning shall be included.

Samples: Submit samples of each exposed finish, fabric and leather (which will be used for actual production) to Interior Designer for verification and approval prior to ordering.

QUALITY ASSURANCE

Supplier: The manufacturer, subsidiary or licensed agent shall be approved to supply the products specified, and to honor any claims against the product presented in accordance with the warranty.

Installer: The installer or agent shall be qualified to install the specified products by prior experience, demonstrated performance and acceptance of any requirement of the manufacturer or any subsidiary or licensed agent. The installer shall be responsible for an acceptable installation.

DELIVERY, STORAGE AND HANDLING

Product shall be delivered to the project site in manufacturer's original packaging.

Product shall be handled and stored to prevent damage to materials and finishes.

PART 2 – PRODUCTS

Substitution requests: Burden of proof that proposed substitutions shall be equal in quality and function to the specified product is on the Bidder.

Acceptable manufacturers: Watson or approved equal.

ETCH VISUAL DISPLAY

Internal Frame: Frame shall be constructed from 16-gauge cold rolled electro welded steel 1x2 tubing, miter cut and TIG welded. Void space shall include craft paper honeycomb core.

Markerboard Veneers: 22-gauge cold rolled steel laser cut, hemmed and TIG welded to produce an 1/8" thickness. Marker board surface shall be powder coating with Akzo Nobel TGIC free markerboard polyester formulation.

Legs: 16-gauge cold rolled electro welded steel 3/4" x2 tubing, angle cut, punched, and internally MIG welded to 1/4" hot rolled Y-plates. Foot insert shall be Zinc die cast from ZAMAK 4 alloy.

Casters: Casters shall be 100lb Polyimide soft wheel construction.

PART 3 – EXECUTION

Subcontractor shall be responsible for inspection on project site and approval of installation conditions for this work.

Installation shall comply with manufacturer's specification, standards and procedures.

Clean finished installation of dirt and finger marks. Leave work area clean and free of debris.

END OF GROUP H: WATSON

CODE	MANUFACTURER (Model Model #)	LOCATION	QUANTITY
47	WATSON (Etch WEM203060-BK) Description: Mobile Markerboard Overall Size: 20"D x 30"W x 60"H Metal Finish: BK, Black	Teen Area 113	2



CODE	MANUFACTURER (Model Model #)	LOCATION	QUANTITY
48	WATSON (Etch WEM203072-BK) Description: Mobile Markerboard Overall Size: 20"D x 30"W x 72"H Metal Finish: BK, Black	Study 116	1



MANUFACTURER'S REPRESENTATIVE

Manufacturer: **WATSON**
Group: Good Lines Design
Contact: Marty Peterson
Phone: (612) 860-5336
Email: marty@goodlinesdesign.com

GROUP J: SHAW (group "I" not used)

PART 1 – GENERAL

SCOPE

Work includes materials, delivery and installation.
Furnish and install all furnishings as specified herein.

SUBMITTALS

Product data: Manufacturer's descriptive literature shall be submitted, indicating materials, finishes, construction and installation instructions, and verifying that product meets requirements as specified.

Manufacturer's recommendations for maintenance and cleaning shall be included.

Samples: Submit samples of each exposed finish, fabric and leather (which will be used for actual production) to Interior Designer for verification and approval prior to ordering.

QUALITY ASSURANCE

Supplier: The manufacturer, subsidiary or licensed agent shall be approved to supply the products specified, and to honor any claims against the product presented in accordance with the warranty.

Installer: The installer or agent shall be qualified to install the specified products by prior experience, demonstrated performance and acceptance of any requirement of the manufacturer or any subsidiary or licensed agent. The installer shall be responsible for an acceptable installation.

DELIVERY, STORAGE AND HANDLING

Product shall be delivered to the project site in manufacturer's original packaging.

Product shall be handled and stored to prevent damage to materials and finishes.

PART 2 – PRODUCTS

Substitution requests: Burden of proof that proposed substitutions shall be equal in quality and function to the specified product is on the Bidder.

Acceptable manufacturers: Shaw or approved equal.

CARPET TILE

Low-emitting Flooring System: All carpet installed in the building interior shall meet the testing and product requirements of the Carpet and Rug Institute Green Label Plus program.

Recycled Content: Carpet shall contain Postconsumer recycled content plus one-half of pre-consumer recycled content not less than 35 percent. Carpet shall be Cradle to Cradle Certified and LBC Compliant.

Lifetime Commercial Warranty: The carpet tile, under normal use, shall be covered fiber abrasive wear stain, colorfastness to light, and atmospheric contaminants.

Adhesives: Carpet adhesive shall be water-resistant, mildew-resistant, non-staining, pressure-sensitive type to suit products. It shall be applicable to the corner of a tile for floating installations or center applied and adhered to the floor for attached installations. Adhesives shall have be odorless and VOC free-CRI Green Label Plus Certified. Follow installation instructions per the manufacturer.

PART 3 – EXECUTION

Subcontractor shall be responsible for inspection on project site and approval of installation conditions for this work.

Installation shall comply with manufacturer's specification, standards and procedures.


Clean finished installation of dirt and finger marks. Leave work area clean and free of debris.

END OF GROUP J: SHAW

CODE	MANUFACTURER (Collection Model #)	LOCATION	QUANTITY
17	Shaw (Active 5T202-04535)	Children's Area III	1


Description: Area Rug (carpet tile)
 Style name: Advance tile
 Style #: 5T202
 Color name: Coordinate
 Color#: 04535
 Size: 12" x 48"
 Adhesive: LokWorx
 Installation: Monolithic

SEE DRAWINGS SECTION



Shaw (Active | 5T202-04870)

Description: Area Rug (carpet tile)
 Style name: Advance tile
 Style #: 5T202
 Color name: Strenuous
 Color#: 04870
 Size: 12" x 48"
 Adhesive: LokWorx
 Installation: Monolithic



MANUFACTURER'S REPRESENTATIVE

Manufacturer: **SHAW**
 Contact: Julie Mertz
 Phone: (612)-747-2494
 Email: julie.mertz@shawinc.com