

CITY OF NORMAN
CLEVELAND COUNTY, OKLAHOMA

DATE: June 5, 2018
 CHANGE ORDER NO.: One (1)
 CONTRACT NO.: K-1718-82
 PROJECT: Core Area Phase 2 Saw Cut Project
 CONTRACTOR: Precision Concrete Cutting of Oklahoma LLC
11417 SW 109th Street
Mustang, OK 73064

	<u>Contract Time</u>		<u>Contract Amount</u>
ORIGINAL:	<u>180</u>	calendar days	<u>\$133,306.00</u>
PREVIOUS CHANGE ORDERS:	<u>0</u>	calendar days	<u>\$0.00</u>
THIS CHANGE ORDER:	<u>0</u>	calendar days	<u>\$7,853.13</u>
REVISED AMOUNT:	<u>180</u>	calendar days	<u>\$141,159.13</u>
ORIGINAL START DATE:	<u>February 23, 2018</u>		
ORIGINAL COMPLETION DATE:	<u>August 22, 2018</u>		
PREVIOUS COMPLETION DATE:	<u>August 22, 2018</u>		
NEW COMPLETION DATE:	<u>August 22, 2018</u>		

DESCRIPTION:	\$ Increase	\$
Increase identified locations to include 254.38 inch feet located on the north and south sidewalks along Alameda from Porter to 12th Ave NE.	7,853.13	

SUBMITTED BY
CONTRACTOR:

Ray Ann Baker
 Precision Concrete Cutting of Oklahoma LLC
Precision Concrete Cutting

Date: *6/5/2018*

RECOMMENDED BY
PROJECT MANAGER:



Lisa D. Krieg, CDEG/Grants Manager

Date: 6-18-18

ACCEPTED BY
CITY OF NORMAN:

City Attorney

Date:

ACCEPTED BY
CITY OF NORMAN:

Lynne Miller, Mayor

Date:



Date: April 25, 2018

Bid #: 1895AB

Core Area 2 Project - Alameda Add On

**Credit given for repairs not made on original order due to replacements.*

City of Norman
 Core Area Phase 2 - Alameda add on
 Attn Lisa Krieg
 PO Box 370
 Norman, OK 73070
[Link to online repairs map](#)

Precision Concrete Cutting of Oklahoma
 11417 SW 109th
 Mustang, OK 73064
 (405) 427-4455 - phone

Federal ID #: 46-4073768

Total Ln. Ft.
779.00

Total In. Ft.
254.38

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Code	Inch Feet
Repairs completed at McDonalds						
1895A-1	0.375	0	3	Along 12th Ave, completed repair		0.56
1895A-2	1	0.25	5	Along 12th Ave, completed repair		3.13
1895A-3	1.25	0.5	5	Along 12th Ave, completed repair		4.38
1895A-4	0.75	0	5	Along 12th Ave, completed repair	Crossover	1.88
1895A-5	0.25	0	4	Along 12th Ave, completed repair		0.50
1895A-6	1	0.375	5	Along 12th Ave, completed repair		3.44
1895A-7	0.375	0	3	Along 12th Ave, completed repair		0.56
1895A-8	0.25	0	4	Along Alameda, completed repair	Crossover	0.50
1895A-9	0.25	0.125	5	Along Alameda, completed repair		0.94
1895A-10	0.25	0	3	Along Alameda, completed repair		0.38
1895A-11	0.25	0	3	Along Alameda, completed repair	Crossover	0.38
New Area surveyed along Alameda St						
1895B-1	0.5	0.25	5	Alameda St, 500 Blk, S side	Ramp	1.88
1895B-2	0.375	0	5	Alameda St, 500 Blk, S side		0.94
1895B-3	0.875	0	5	Alameda St, 500 Blk, S side	Crossover	2.19
1895B-4	0.5	0	5	Alameda St, 500 Blk, S side	Crossover	1.25
1895B-5	0.375	0.375	5	Alameda St, 500 Blk, S side	Ramp	1.88
1895B-6	0.375	0	3	Alameda St, 500 Blk, S side	Crack	0.56
1895B-7	0.375	0.25	5	Alameda St, 500 Blk, S side		1.56
1895B-8	0.875	0	5	Alameda St, 500 Blk, S side	Crossover	2.19
1895B-9	0.5	0	5	Alameda St, 600 Blk, S side		1.25
1895B-10	0.5	0.25	5	Alameda St, 600 Blk, S side		1.88
1895B-12	0.5	0	4	Alameda St, 600 Blk, S side		1.00
1895B-13	0.25	0	2	Alameda St, 600 Blk, S side		0.25
1895B-14	0.875	0	5	Alameda St, 700 Blk, S side		2.19
1895B-15	1	0.375	6	Alameda St, 700 Blk, S side		4.13
1895B-16	0.375	0	3	Alameda St, 700 Blk, S side		0.56

Content is solely for the person to which it is addressed and may contain privileged and confidential information protected by law. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Code	Inch Feet
1895B-17	0.375	0.375	6	Alameda St, 700 Blk, S side		2.25
1895B-18	0.25	0	4	Alameda St, 700 Blk, S side		0.50
1895B-19	0.375	0	3	Alameda St, 700 Blk, S side		0.56
1895B-20	0.5	0	5	Alameda St, 700 Blk, S side		1.25
1895B-21	0.5	0	4	Alameda St, 700 Blk, S side		1.00
1895B-22	0.25	0	3	Alameda St, 700 Blk, S side	Ramp	0.38
1895B-23	0.75	0.25	5	Alameda St, 800 Blk, S side	Ramp	2.50
1895B-24	0.875	0.25	5	Alameda St, 800 Blk, S side	Ramp	2.81
1895B-25	0.5	0	3	Alameda St, 800 Blk, S side		0.75
1895B-26	0.5	0.25	6	Alameda St, 800 Blk, S side		2.25
1895B-27	0.25	0	3	Alameda St, 800 Blk, S side		0.38
1895B-28	0.5	0	5	Alameda St, 800 Blk, S side		1.25
1895B-29	0.5	0	3	Alameda St, 800 Blk, S side	Ramp	0.75
1895B-30	0.5	0	3	Alameda St, 800 Blk, S side, driveway	Ramp	0.75
1895B-31	0.75	0	4	Alameda St, 800 Blk, S side, driveway		1.50
1895B-32	0.375	0.25	4	Alameda St, 800 Blk, S side, driveway		1.25
1895B-33	0.25	0	4	Alameda St, 800 Blk, S side	Crossover	0.50
1895B-34	0.25	0	2	Alameda St, 800 Blk, S side		0.25
1895B-35	0.25	0	5	Alameda St, 800 Blk, S side, driveway	Crossover	0.63
1895B-36	0.375	0	2	Alameda St, 800 Blk, S side		0.38
1895B-38	0.375	0	4	Alameda St, 800 Blk, S side		0.75
1895B-39	0.375	0	3	Alameda St, 800 Blk, S side		0.56
1895B-40	0.375	0	5	Alameda St, 800 Blk, S side	Crossover	0.94
1895B-41	0.5	0	2	Alameda St, 800 Blk, S side	Crossover	0.50
1895B-42	0.375	0	5	Alameda St, 800 Blk, S side		0.94
1895B-43	0.25	0	2	Alameda St, 800 Blk, S side		0.25
1895B-44	0.25	0	4	Alameda St, 800 Blk, S side		0.50
1895B-45	0.375	0	5	Alameda St, 800 Blk, S side	Crossover	0.94
1895B-46	0.625	0	3	Alameda St, 800 Blk, S side		0.94
1895B-47	0.375	0.375	5	Alameda St, 800 Blk, S side	Ramp	1.88
1895B-48	0.375	0	4	Alameda St, 900 Blk, S side	Ramp	0.75
1895B-49	0.625	0.375	5	Alameda St, 900 Blk, S side		2.50
1895B-50	0.75	0	2	Alameda St, 900 Blk, S side		0.75
1895B-51	0.375	0	2	Alameda St, 900 Blk, S side		0.38
1895B-53	0.5	0	5	Alameda St, 900 Blk, S side	Ramp	1.25
1895B-54	0.25	0	5	Alameda St, 900 Blk, S side	Ramp	0.63
1895B-55	0.375	0	3	Alameda St, 900 Blk, S side		0.56
1895B-56	0.375	0	5	Alameda St, 900 Blk, S side		0.94
1895B-57	0.375	0	1	Alameda St, 900 Blk, S side		0.19

Content is solely for the person to which it is addressed and may contain privileged and confidential information protected by law. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Code	Inch Feet
1895B-58	0.75	0.625	5	Alameda St, 900 Blk, S side		3.44
1895B-59	0.625	0	5	Alameda St, 900 Blk, S side		1.56
1895B-60	0.875	0	5	Alameda St, 900 Blk, S side	Crossover	2.19
1895B-61	0.5	0	4	Alameda St, 900 Blk, S side		1.00
1895B-62	0.75	0.75	5	Alameda St, 900 Blk, S side		3.75
1895B-63	0.875	0.625	5	Alameda St, 900 Blk, S side	Ramp	3.75
1895B-65	0.375	0	3	Alameda St, 1000 Blk, S side	Crossover	0.56
1895B-66	0.5	0	4	Alameda St, 1000 Blk, S side		1.00
1895B-67	0.375	0	2	Alameda St, 1000 Blk, S side		0.38
1895B-68	1.5	0.875	5	Alameda St, 1000 Blk, S side		5.94
1895B-69	0.5	0	5	Alameda St, 1000 Blk, S side	Crossover	1.25
1895B-70	0.375	0	5	Alameda St, 1000 Blk, S side	Crossover	0.94
1895B-71	0.5	0	5	Alameda St, 1000 Blk, S side	Crossover	1.25
1895B-72	0.375	0.25	4	Alameda St, 1000 Blk, S side	Ramp	1.25
1895B-73	0.5	0	2	Alameda St, 1000 Blk, S side	Ramp	0.50
1895B-74	0.375	0	4	Alameda St, 1000 Blk, S side	Crossover	0.75
1895B-75	0.5	0	5	Alameda St, 1000 Blk, S side	Crossover	1.25
1895B-76	0.5	0	5	Alameda St, 1000 Blk, S side		1.25
1895B-77	0.5	0	3	Alameda St, 1000 Blk, S side		0.75
1895B-78	0.375	0	3	Alameda St, 1000 Blk, S side		0.56
1895B-79	0.75	0	8	Alameda St, 1000 Blk, S side	Crack	3.00
1895B-81	0.375	0	5	Alameda St, 1000 Blk, S side	Crossover	0.94
1895B-82	0.75	0.25	8	Alameda St, 1000 Blk, S side	Crack	4.00
1895B-83	0.625	0	5	Alameda St, 1000 Blk, S side	Ramp	1.56
1895B-84	0.875	0	5	Alameda St, 1100 Blk, S side		2.19
1895B-85	0.625	0	5	Alameda St, 1100 Blk, S side	Crossover	1.56
1895B-86	0.5	0	5	Alameda St, 1100 Blk, S side	Crossover	1.25
1895B-87	0.5	0	4	Alameda St, 1100 Blk, S side		1.00
1895B-88	0.875	0	5	Alameda St, 1100 Blk, S side	Ramp	2.19
1895B-89	0.25	0	3	Alameda St, 1100 Blk, S side	Ramp	0.38
1895B-90	0.375	0	3	Alameda St, 1100 Blk, S side		0.56
1895B-91	0.625	0.375	5	Alameda St, 1100 Blk, S side		2.50
1895B-92	0.5	0	3	Alameda St, 1100 Blk, S side		0.75
1895B-93	0.5	0	4	Alameda St, 1100 Blk, S side	Ramp, Crossover	1.00
1895B-94	0.375	0	2	Alameda St, 1100 Blk, S side		0.38
1895B-95	0.625	0	5	Alameda St, 1100 Blk, S side		1.56
1895B-96	0.75	0.25	5	Alameda St, 1100 Blk, S side		2.50
1895B-97	1.25	0.25	4	Alameda St, 1100 Blk, N side	Crack	3.00
1895B-98	0.875	0.5	5	Alameda St, 1100 Blk, N side		3.44

Content is solely for the person to which it is addressed and may contain privileged and confidential information protected by law. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Code	Inch Feet
1895B-99	0.625	0.25	5	Alameda St, 1100 Blk, N side		2.19
1895B-100	0.625	0	6	Alameda St, 1100 Blk, N side	Crack, Crossover	1.88
1895B-101	0.375	0	5	Alameda St, 1100 Blk, N side	Crossover	0.94
1895B-102	0.75	0	5	Alameda St, 1100 Blk, N side	Crossover	1.88
1895B-103	0.375	0	3	Alameda St, 1100 Blk, N side		0.56
1895B-104	0.375	0	4	Alameda St, 1100 Blk, N side		0.75
1895B-105	1	0	5	Alameda St, 1100 Blk, N side	Crossover	2.50
1895B-106	0.75	0	5	Alameda St, 1100 Blk, N side	Crossover	1.88
1895B-107	0.875	0	4	Alameda St, 1100 Blk, N side	Ramp	1.75
1895B-108	0.5	0.25	6	Alameda St, 1100 Blk, N side	Ramp	2.25
1895B-109	1.375	0.625	5	Alameda St, 1100 Blk, N side		5.00
1895B-110	0.625	0	3	Alameda St, 1100 Blk, N side		0.94
1895B-111	0.875	0.125	5	Alameda St, 1100 Blk, N side		2.50
1895B-112	0.25	0.25	5	Alameda St, 1100 Blk, N side		1.25
1895B-113	0.5	0	5	Alameda St, 1100 Blk, N side	Crossover	1.25
1895B-114	0.5	0	3	Alameda St, 1100 Blk, N side		0.75
1895B-115	0.5	0.125	5	Alameda St, 1100 Blk, N side		1.56
1895B-116	0.375	0	3	Alameda St, 1100 Blk, N side		0.56
1895B-117	0.5	0	3	Alameda St, 1100 Blk, N side		0.75
1895B-118	0.875	0.375	5	Alameda St, 1100 Blk, N side		3.13
1895B-119	0.875	0	5	Alameda St, 1100 Blk, N side		2.19
1895B-120	0.75	0.125	8	Alameda St, 1100 Blk, N side		3.50
1895B-121	0.25	0	3	Alameda St, 1100 Blk, N side		0.38
1895B-122	1.25	0	5	Alameda St, 1100 Blk, N side	Crossover	3.13

Content is solely for the person to which it is addressed and may contain privileged and confidential information protected by law. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Code	Inch Feet
1895B-123	0.375	0	2	Alameda St, 1100 Blk, N side		0.38
1895B-124	0.5	0	2	Alameda St, 1100 Blk, N side		0.50
1895B-125	1	0.25	5	Alameda St, 1100 Blk, N side		3.13
1895B-126	0.25	0.125	5	Alameda St, 1100 Blk, N side		0.94
1895B-127	0.375	0	4	Alameda St, 1100 Blk, N side		0.75
1895B-128	0.625	0	4	Alameda St, 1100 Blk, N side		1.25
1895B-129	0.75	0	5	Alameda St, 1100 Blk, N side	Crossover	1.88
1895B-130	0.375	0	3	Alameda St, 1100 Blk, N side		0.56
1895B-131	0.375	0	3	Alameda St, 1100 Blk, N side		0.56
1895B-132	0.25	0.125	5	Alameda St, 1100 Blk, N side		0.94
1895B-133	0.5	0	3	Alameda St, 1100 Blk, N side		0.75
1895B-134	0.375	0	5	Alameda St, 1100 Blk, N side	Crossover	0.94
1895B-135	0.375	0	3	Alameda St, 1000 Blk, N side		0.56
1895B-136	0.25	0.25	5	Alameda St, 1000 Blk, N side		1.25
1895B-137	0.375	0	6	Alameda St, 1000 Blk, N side	Crack	1.13
1895B-138	0.875	0	5	Alameda St, 1000 Blk, N side		2.19
1895B-139	0.375	0	5	Alameda St, 1000 Blk, N side		0.94
1895B-140	0.375	0	4	Alameda St, 1000 Blk, N side		0.75
1895B-141	0.25	0	3	Alameda St, 1000 Blk, N side		0.38
1895B-142	0.5	0	3	Alameda St, 1000 Blk, N side	Ramp	0.75
1895B-143	0.5	0	4	Alameda St, 900 Blk, N side	Ramp	1.00
1895B-144	0.25	0	5	Alameda St, 900 Blk, N side	Crossover	0.63
1895B-145	0.5	0	4	Alameda St, 900 Blk, N side	Crossover	1.00

Content is solely for the person to which it is addressed and may contain privileged and confidential information protected by law. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Code	Inch Feet
1895B-146	0.75	0	4	Alameda St, 900 Blk, N side		1.50
1895B-147	0.375	0	4	Alameda St, 900 Blk, N side		0.75
1895B-148	1.125	0.75	5	Alameda St, 900 Blk, N side		4.69
1895B-149	0.25	0	3	Alameda St, 900 Blk, N side		0.38
1895B-150	0.875	0.25	5	Alameda St, 900 Blk, N side		2.81
1895B-151	0.625	0	4	Alameda St, 900 Blk, N side		1.25
1895B-152	0.25	0.125	5	Alameda St, 900 Blk, N side		0.94
1895B-153	0.625	0	5	Alameda St, 900 Blk, N side	Crossover	1.56
1895B-154	0.625	0	4	Alameda St, 900 Blk, N side	Ramp	1.25
1895B-155	0.5	0	5	Alameda St, 800 Blk, N side	Ramp	1.25
1895B-156	0.5	0	4	Alameda St, 800 Blk, N side		1.00
1895B-157	0.875	0	5	Alameda St, 800 Blk, N side	Crossover	2.19
1895B-158	0.5	0	5	Alameda St, 800 Blk, N side	Crossover	1.25
1895B-159	0.5	0	1	Alameda St, 800 Blk, N side		0.25
1895B-160	0.75	0	5	Alameda St, 800 Blk, N side	Crossover	1.88
1895B-161	0.625	0	4	Alameda St, 800 Blk, N side		1.25
1895B-162	0.5	0	4	Alameda St, 800 Blk, N side		1.00
1895B-163	0.5	0	3	Alameda St, 800 Blk, N side		0.75
1895B-164	0.375	0	5	Alameda St, 800 Blk, N side		0.94
1895B-165	0.375	0	3	Alameda St, 800 Blk, N side		0.56
1895B-166	0.375	0	3	Alameda St, 800 Blk, N side		0.56
1895B-167	0.375	0	5	Alameda St, 800 Blk, N side	Crossover	0.94
1895B-168	0.375	0	4	Alameda St, 800 Blk, N side		0.75

Content is solely for the person to which it is addressed and may contain privileged and confidential information protected by law. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.

PRECISION CONCRETE CUTTING						
No.	Size	Size	Lineal Feet	Location	Code	Inch Feet
1895B-170	0.25	0.25	5	Alameda St, 800 Blk, N side	Ramp	1.25
1895B-171	0.75	0.25	6	Alameda St, 800 Blk, N side	Ramp	3.00
1895B-172	0.375	0	2	Alameda St, 800 Blk, N side		0.38
1895B-173	0.875	0	7	Alameda St, 800 Blk, N side	Crack	3.06
1895B-174	0.375	0	3	Alameda St, 800 Blk, N side		0.56
1895B-175	0.625	0	5	Alameda St, 800 Blk, N side	Crossover	1.56
1895B-176	0.375	0	5	Alameda St, 700 Blk, N side	Crossover	0.94
1895B-177	0.25	0	2	Alameda St, 700 Blk, N side		0.25
1895B-178	0.375	0	3	Alameda St, 700 Blk, N side		0.56
1895B-179	0.375	0	5	Alameda St, 700 Blk, N side	Crack	0.94
1895B-180	0.25	0	2	Alameda St, 700 Blk, N side		0.25
		Totals:	779.00			254.38
				Credit for repairs not made due to replacements or shifted over 2 inches		-30.00
		Final Totals:	779.00			224.38
Total Cost: \$7,853.13						
<i>*3% charge on total cost if paying by credit card</i>						

**Precision Concrete Cutting of Oklahoma is not responsible for re-painting of any curbs that we repair.*

**Our services do not include any filling of gaps.*

**If during our repair a sidewalk panel cracks or breaks off in a way not already present, we will not pour new concrete, however you will not be charged for that repair.*

Content is solely for the person to which it is addressed and may contain privileged and confidential information protected by law. Unauthorized use and/or re-disclosure may subject you to penalties under applicable state and federal laws.