

GROUP H: GLOBAL INDUSTRIAL

PART 1 – GENERAL

SCOPE

Work includes materials, delivery and installation.
Furnish and install all furnishings as specified herein.

SUBMITTALS

Product data: Manufacturer's descriptive literature shall be submitted, indicating materials, finishes, construction and installation instructions, and verifying that product meets requirements as specified.

Manufacturer's recommendations for maintenance and cleaning shall be included.

Samples: Submit samples of each exposed finish, fabric and leather (which will be used for actual production) to Interior Designer for verification and approval prior to ordering.

QUALITY ASSURANCE

Supplier: The manufacturer, subsidiary or licensed agent shall be approved to supply the products specified, and to honor any claims against the product presented in accordance with the warranty.

Installer: The installer or agent shall be qualified to install the specified products by prior experience, demonstrated performance and acceptance of any requirement of the manufacturer or any subsidiary or licensed agent. The installer shall be responsible for an acceptable installation.

DELIVERY, STORAGE AND HANDLING

Product shall be delivered to the project site in manufacturer's original packaging.

Product shall be handled and stored to prevent damage to materials and finishes.

PART 2 – PRODUCTS

Substitution requests: Burden of proof that proposed substitutions shall be equal in quality and function to the specified product is on the Bidder.

Acceptable manufacturers: Global Industrial or approved equal.

CHAIR CART

Construction & Finishing: Made from solid construction powdered coated steel with 325 lbs capacity heavy duty casters; two swiveling and two stationary. Three tubular steel handles, one at each end and one in the middle. Capacity to hold 35 folding chairs. Metal to be primed and powder coated.

FOLDING TRUCK

Construction & Finishing: Cart to be made from aluminum with folding steel handle. 5" rubber casters, two swivel, two rigid. Aluminum deck to have integral vinyl bumpers. 600 lbs. weight capacity. Finishes: cart deck: extruded aluminum. Folding handle and brackets: chrome plated steel.

MOBILE WORKBENCH

Construction & Finishing: The frame shall be constructed with powder coated rugged 2" square, 14 gauge tubular steel height adjustable legs. Legs adjust from 28 to 34" h at 2" increments. Workbenches shall be tested to 5000 lb. capacity. Weight should be evenly distributed. Pre-wired power apron includes 3 duplex 15 amp/115V outlets, circuit breaker and 13L quick-disconnect power cord for power tools and other electric equipment. Adjustable leveling floor glides and leveling foot plates that allow floor anchoring.

Base: The lockable caster base shall be provided.

PART 3 – EXECUTION

Subcontractor shall be responsible for inspection on project site and approval of installation conditions for this work.

Installation shall comply with manufacturer's specification, standards and procedures.

Clean finished installation of dirt and finger marks. Leave work area clean and free of debris.

END OF GROUP H: GLOBAL INDUSTRIAL

CODE	MANUFACTURER (Model Model #)	LOCATION	QUANTITY
------	--------------------------------	----------	----------

<p>177</p> <p>GLOBAL INDUSTRIAL (T9F253992BBL)</p> <p>Description: Mobile Production Workbench with Power Apron</p> <p>Overall Size: 60" W x 30" D x 36" H</p> <p>Top Finish: White Plastic</p> <p>Base Finish: Paint - Blue</p> <p>Power: Three duplex 15 Amp, 115 Volt Outlets</p> <p>Edge: ESD Safety edge</p>	
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Computer Tech Wkrm 140

1



CODE	MANUFACTURER (Model Model #)	LOCATION	QUANTITY
------	--------------------------------	----------	----------

<p>180</p> <p>GLOBAL INDUSTRIAL (T97241579)</p> <p>Description: Folding Aluminum Platform Truck</p> <p>Overall Size: 48" W x 24" D x 37" H</p> <p>Finish: Aluminum</p> <p>Casters: Heavy duty caster</p> <p>Frame: Steel</p> <p>Capacity: 600Lb.</p>	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

Children's Storage 147

1



CODE	MANUFACTURER (Model Model #)	LOCATION	QUANTITY
185	GLOBAL INDUSTRIAL (Chair Cart WG277431) Description: Chair Cart for Folding Chairs – Vertical Stack Overall Size: 81" W x 19.25" D x 38.5" H Finish: Brown Casters: Heavy duty caster Frame: Steel Compatibility: (27) chairs per dolly Coordinate with item code #129 See Group EE : Vondom	Storage Rm 126	4



MANUFACTURER'S REPRESENTATIVE

Manufacturer: Global Industrial
Phone: 1-888-978-7759