


DATE: 08/13/13
 DRAWING NO: 13-104-110
 PROJECT NO: 13-104-110
 DATE: 08/13/13
 TIME: 03:22:18 PM
 DRAWN BY: [Signature]
 CHECKED BY: [Signature]

STATE OF OKLAHOMA
 COUNTY OF CLEVELAND
LED FOR RECORD

FINAL SITE DEVELOPMENT PLAN

UNIVERSITY NORTH PARK SECTION XIII

A PLANNED UNIT DEVELOPMENT
 A PART OF THE N.E. 1/4 OF SECTION 23, T 9 N, R 3 W, INDIAN MERIDIAN
 NORMAN, CLEVELAND COUNTY, OKLAHOMA



EXISTING LEGEND

- FOUND IRON PIPE (AS NOTED)
- STORM SEWER MANHOLE
- SANITARY SEWER MANHOLE
- FIRE HYDRANT
- WATER VALVE
- WATER LINE
- SANITARY SEWER LINE
- STORM SEWER LINE
- BOUNDARY LINE
- CENTERLINE
- EASEMENT LINE
- CONTOUR LINE

PROPOSED LEGEND


- HEAVY DUTY ASPHALT PAVING
- CONCRETE PAVING
- SIGN TYPE AS NOTED ON PLAN
- CONCRETE CURB & GUTTER
- PROPOSED PARKING SPACES
- STORM INLET, RE. GRADING PLAN
- ACCESSIBLE PARKING STALL
- VAN ACCESSIBLE PARKING STALL

GENERAL SITE PLAN NOTES

- 1 REMOVE ALL VEGETATION AND TOPSOIL FROM BUILDING FOOTPRINT AND STORE FOR LATER USE. REGRADE AND FURNISH ADDITIONAL TOPSOIL AS REQUIRED. SEED AND STRAW ALL AREAS DISTURBED BY CONSTRUCTION.
- 2 SLOPE FINISH GRADES, SIDEWALKS AND PAVING AWAY FROM BUILDING FOR POSITIVE DRAINAGE.
- 3 GENERAL CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS, GRADES, AND DIMENSIONS ON SITE AND REPORT ALL MAJOR DISCREPANCIES TO ARCHITECT.
- 4 REMOVE ALL ITEMS AS NOTED. PROTECT ALL EXISTING TREES TO REMAIN.
- 5 ALL CONSTRUCTION SHALL CONFORM TO THE CITY OF NORMAN REGULATIONS.
- 6 ALL COSTS ASSOCIATED WITH UTILITY CONNECTIONS SHOWN SHALL BE INCLUDED IN BASE BID. COORDINATE WITH LOCAL UTILITY COMPANY.
- 7 ALL DIMENSIONS, UNLESS OTHERWISE NOTED, ARE TO THE FACE OF CURB, FACE OF BUILDING OR CENTERLINE OF STRIPS.
- 8 REFER TO PROJECT DETAILS FOR REGULAR DUTY ASPHALT, HEAVY DUTY ASPHALT, AND CONCRETE PAVING DETAILS.
- 9 ALL PARKING SPACES INDICATED AS HANDICAPPED SPACES SHALL RECEIVE HANDICAP PAVEMENT MARKINGS AND SHALL BE IN ACCORDANCE WITH ADA STANDARDS OR THE CITY OF NORMAN REGULATIONS, WHICHEVER IS MORE RESTRICTIVE. REFER TO DETAIL SHEETS.
- 10 THE CONTRACTOR SHALL REFER TO THE ARCHITECTURAL PLANS FOR DIMENSIONS OF THE BUILDING.
- 11 ALL SIDEWALK, PAVEMENT MARKINGS, AND PARKING LOT STRIPING SHALL CONFORM TO THE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) STANDARDS AND REGULATIONS.
- 12 ALL CURB/HANDICAP RAMP DESIGNS SHALL CONFORM TO ADA STANDARDS OR THE CITY OF NORMAN STANDARDS, WHICHEVER IS MORE RESTRICTIVE. REFER TO DETAIL SHEETS.
- 13 RETAINING WALL DESIGN TO BE PROVIDED BY OTHERS.
- 14 A HANDRAIL IS REQUIRED WHERE THE EXPOSED WALL HEIGHT IS 37" OR MORE ABOVE FINISHED GRADE. CONTRACTOR SHALL PROVIDE SHOP DRAWINGS OF PROPOSED HANDRAIL DETAILS FOR REVIEW AND APPROVAL BY THE CIVIL ENGINEER AND ARCHITECT PRIOR TO INSTALLATION.

PARKING SUMMARY

	ROOM COUNT	REQUIRED	SPACES
HOTEL	100	130 REQUIRED	130 PROVIDED
ACCESSIBLE PARKING SPACES		8 REQUIRED	7 PROVIDED



Gray Rock
 Civil Engineering & Landscaping Architectural
 2304 Village Parkway, Suite 11
 Norman, AR 72708 209-966-4113
 Job No: 12-245

Richard Humiston ARCHITECT
 1001 S. MAIN ST. SUITE 200
 NORMAN, OKLAHOMA 73061
 PHONE: (405) 886-0300
 FAX: (405) 886-0305
 EMAIL: rhumiston@richardhumiston.com

PROPOSED
MARRIOTT RESIDENCE INN
 NORMAN, OKLAHOMA

Contents
FINAL SITE DEVELOPMENT PLAN
 Date: 11-1-13
 Category: C
 Sheet No: 20