



City of Norman, OK

Municipal Building
Council Chambers
201 West Gray
Norman, OK 73069

Master

File Number: BID-1920-23

File ID: BID-1920-23	Type: Bid	Status: Consent Item
Version: 3	Reference: Item 17	In Control: City Council
Department: Public Works Department	Cost:	File Created: 09/26/2019
File Name: Portland Cement Concrete	Final Action:	

Title: CONSIDERATION AND AWARDDING OF BID 1920-23 FOR THE PURCHASE OF PORTLAND CEMENT CONCRETE FOR USE BY THE PUBLIC WORKS STREET AND STORMWATER DIVISIONS.
--

Notes: ACTION NEEDED: Motion to accept or reject all bids meeting specifications on Sections 1 through 5; and, if accepted, award the bid to Standard Materials Group as the lowest and best bidder meeting specifications and Dolese Brothers Company as the alternate bidder.

ACTION TAKEN: _____

ACTION NEEDED: Motion to accept or reject all bids meeting specifications on Sections 6A and 6G; and, if accepted, award the bid to Standard Materials Group, L.L.C., as the lowest and best bidder meeting specifications and Van Eaton Ready Mix as the alternate bidder.

ACTION TAKEN: _____

ACTION NEEDED: Motion to accept or reject all bids meeting specifications on Section 6B; and, if accepted, award the bid to Van Eaton Ready Mix as the lowest and best bidder meeting specifications and Dolese Brothers Company as the alternate bidder.

ACTION TAKEN: _____

ACTION NEEDED: Motion to accept or reject all bids meeting specifications on Sections 6C, 6D and 6H; and, if accepted, award the bid to Van Eaton Ready Mix and Dolese Brothers Company as the lowest and best bidders meeting specifications and Standard Materials Group as the alternate bidder.

ACTION TAKEN: _____

ACTION NEEDED: Motion to accept or reject all bids meeting specifications on Section 6E; and, if accepted, award the bid to Van Eaton Ready Mix and Standard Materials Group as the lowest and best bidders meeting specifications.

ACTION TAKEN: _____

ACTION NEEDED: Motion to accept or reject all bids meeting specifications on Section 6F; and, if accepted, award the bid to Van Eaton Ready Mix as the lowest and best bidder meeting specifications and Standard Materials Group as the alternate bidder.

ACTION TAKEN: _____

Agenda Date: 10/22/2019

Agenda Number: 17

Attachments: Tab 1920-23 Portland Cement Concrete

Project Manager: Tony Mensah, Street Supt

Entered by: april.kerr@normanok.gov

Effective Date:

History of Legislative File

Ver- sion:	Acting Body:	Date:	Action:	Sent To:	Due Date:	Return Date:	Result:
---------------	--------------	-------	---------	----------	-----------	-----------------	---------

Text of Legislative File BID-1920-23

Body

BACKGROUND: The City of Norman Street and Storm Water Maintenance Programs utilize the following types of Portland Cement Concrete on a frequent basis:

1. Class A Concrete is used in pavement slabs, sidewalks, retaining walls, culverts, and all areas where reinforced concrete is needed. Calcium is used as an accelerating admixture to increase the strength of the concrete during curing more quickly. It is used in cold weather application; however, it is not an anti-freezing agent.
2. High Early Strength (H.E.S.) Concrete is used for driveway and pavement replacement, to cure even more quickly than Class A Concrete.
3. Fast Track Concrete is used for emergency panel replacement in high traffic areas. Within 8 hours of application, this concrete type is tested to be able to support 3000 pounds per square inch.
4. Grout Mix is used with riprap, for bedding drainage pipe, and stabilizing plastic subgrade.
5. Flowable Fill is used as a liquid concrete mix in bedding and backfilling culvert pipe and

storm sewers where 100 percent compaction is required.

6. Additives/Accelerators are used to speed the setting time and when cure time starts earlier. This allows concrete to be placed in winter, with reduced risk of frost damage.

Quantities of each material purchased annually will vary depending on individual project scopes for scheduled projects and unscheduled repairs and maintenance activities. A total of 1,333 cubic yards of Portland Cement Concrete were purchased in fiscal year 2018-2019 (FYE 2019), at a cost of \$139,965.

DISCUSSION: Bid information was sent to six (6) vendors and BID-1920-23 was opened on September 26, 2019, with three (3) vendor bids received for Portland Cement Concrete. The price of concrete materials has increased an average of 1% over the 2019 bid price because of increased manufacturing and delivery costs. If approved, the purchase contract for the materials will be effective through October 31, 2020. Funding for Portland Cement Concrete is provided from the General Fund accounts for regular maintenance, available in Account Numbers:

Street Division

Street/Sidewalk Materials (010-5021-431.32-15) \$50,000

Concrete Materials (010-5021-431.33-01) \$65,500

Storm Water Division

Street/Sidewalk Materials (010-5022-431.32-15) \$28,414

RECOMMENDATION: Staff recommends BID-1920-23 be awarded to the low bidder as shown on the Bid Tabulation. We further recommend that the bid also be awarded to the alternate bidder and tertiary bidder so that the material will be available when the primary bidder cannot deliver it.

Section 1A and 1B to Standard Materials Group, Tulsa, as the lowest and best bidder meeting specifications and Dolese, Oklahoma City, as the alternate bidder.

Section 2A and 2B to Standard Materials Group as the lowest and best bidder meeting specifications and Dolese as the alternate bidder.

Section 3A and 3B to Standard Materials Group as the lowest and best bidder meeting specifications and Dolese as the alternate bidder.

Section 4A and 4B to Standard Materials Group as the lowest and best bidder meeting specifications and Dolese as the alternate bidder.

Section 5A and 5B to Standard Materials Group as the lowest and best bidder meeting specifications and Dolese as the alternate bidder.

Section 6A to Standard Materials Group as the lowest and best bidder meeting specifications and Van Eaton, Shawnee, as the alternate bidder.

Section 6B to Van Eaton as the lowest and best bidder meeting specifications and Dolese as the alternate bidder.

Section 6C and 6D to Van Eaton and Dolese as the lowest and best bidder meeting specifications and Standard Materials Group as the alternate bidder.

Section 6E to Van Eaton and Standard Materials Group as the lowest and best bidder meeting specifications.

Section 6F to Van Eaton as the lowest and best bidder meeting specifications and Standard Materials Group.

Section 6G to Standard Materials Group as the lowest and best bidder meeting specifications and Van Eaton as the alternate bidder.

Section 6H to Van Eaton and Dolese as the lowest and best bidder meeting specifications and Standard Materials Group as the alternate bidder.