

Attachment 2

Proposed new local amendments

IBC

Chapter 29, PLUMBING SYSTEMS

- Section 2902.1 Minimum number of fixtures - add “Exception: In occupancies other than assembly, business owners may elect to provide drinking water by a means other than a drinking fountain when the code calculated occupant load is 50 persons or less.”
- Section 2902.2 Separate facilities - add new exception “4. In occupancies other than assembly, business owners may elect to provide a single user accessible toilet facility when the code calculated occupant load is 50 persons or less.”

IPC

Chapter 2 DEFINITIONS

- Section 202 GENERAL DEFINITIONS - add “SERVICE SINK. In occupancy groups B, M, S and U a service sink is defined as any approved sink, basin or bowl that discharges to the building sewer and can be used in conjunction with a potable water faucet for the purpose of building cleaning and/or maintenance.”

Chapter 4 FIXTURES, FAUCETS AND FIXTURE FITTINGS

- Section 403.1 Minimum number of fixtures - add “Exception: In occupancies other than assembly, business owners may elect to provide drinking water by a means other than a drinking fountain when the code calculated occupant load is 50 persons or less.”
- Section 403.2 Separate facilities -add new exception “4. In occupancies other than assembly, business owners may elect to provide a single user accessible toilet facility when the code calculated occupant load is 50 persons or less.”