



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 1 of 6

Quotation

116000

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Environmentally
Services

Printed 05/23/2016 3:00:01PM Original Quote Date: 05/23/2016

Contract Pricing 07/2015-06/2016

114	OU WW - Grab	Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00
N	HEM	Oil and Grease (HEM)	EPA 1664B	44.00
N	pH	pH (Onsite)	SM 4500-H+ B-2000	12.00
Sample Fee Total				\$93.00

115	OU WW - 4Grab/Comp	Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee
N	*AgM	Silver, Total	EPA 200.8 5.4	13.00
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00
N	*CuM	Copper, Total	EPA 200.8 5.4	13.00
N	*Hg	Mercury	EPA 245.1 3	20.00
N	*MoM	Molybdenum	EPA 200.8 5.4	13.00
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00
N	*PbM	Lead, Total	EPA 200.8 5.4	13.00
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00
N	*ZnM	Zinc, Total	EPA 200.8 5.4	13.00
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00
N	BOD	Biochemical Oxygen Demand (BOD5)	SM 5210 B-2001	20.00
N	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2	31.00
N	TSS	Total Suspended Solids	SM 2540 D-97	20.00
Sample Fee Total				\$253.00

116	OU WW w/VOC - Grab	Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00
N	HEM	Oil and Grease (HEM)	EPA 1664B	44.00
N	NOVO	NORE Volatiles by GC/MS	EPA 624	145.00
N	pH	pH (Onsite)	SM 4500-H+ B-2000	12.00
Sample Fee Total				\$238.00

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 2 of 6

Quotation

116000

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Contract Pricing 07/2015-06/2016

117	OU WW w/SVOC - 4Grab/Comp		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	*AgM	Silver, Total	EPA 200.8 5.4	13.00	
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00	
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00	
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00	
N	*CuM	Copper, Total	EPA 200.8 5.4	13.00	
N	*Hg	Mercury	EPA 245.1 3	20.00	
N	*MoM	Molybdenum	EPA 200.8 5.4	13.00	
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00	
N	*PbM	Lead, Total	EPA 200.8 5.4	13.00	
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00	
N	*ZnM	Zinc, Total	EPA 200.8 5.4	13.00	
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00	
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00	
N	BOD	Biochemical Oxygen Demand (BOD5)	SM 5210 B-2001	20.00	
N	NOSV	NORE Semivolatile Hydrocarbons	EPA 625	350.00	
N	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2	31.00	
N	TSS	Total Suspended Solids	SM 2540 D-97	20.00	
Sample Fee Total				\$603.00	

118	OU WW Sampling Fee		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
	PuCh	Sampling/Transport		180.00	
Sample Fee Total				\$180.00	

119	Hiland-NID003 - Grab		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00	
N	HEM	Oil and Grease (HEM)	EPA 1664B	44.00	
N	pH	pH (Onsite)	SM 4500-H+ B-2000	12.00	
Sample Fee Total				\$93.00	

120	Hiland-NID003 - Comp		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 3 of 6

Quotation

116000

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Contract Pricing 07/2015-06/2016

120	Hiland-NID003 - Comp		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	*AgM	Silver, Total	EPA 200.8 5.4	13.00	
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00	
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00	
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00	
N	*CuM	Copper, Total	EPA 200.8 5.4	13.00	
N	*Hg	Mercury	EPA 245.1 3	20.00	
N	*MoM	Molybdenum	EPA 200.8 5.4	13.00	
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00	
N	*PbM	Lead, Total	EPA 200.8 5.4	13.00	
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00	
N	*ZnM	Zinc, Total	EPA 200.8 5.4	13.00	
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00	
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00	
N	BOD	Biochemical Oxygen Demand (BOD5)	SM 5210 B-2001	20.00	
	CSR	Composite Sampler Rental		100.00	
	PucH	Sampling/Pickup Charge		90.00	
N	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2	31.00	
N	TSS	Total Suspended Solids	SM 2540 D-97	20.00	
Sample Fee Total				\$443.00	

121	NRH-NID007 - Comp		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	*AgM	Silver, Total	EPA 200.8 5.4	13.00	
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00	
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00	
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00	
N	*CuM	Copper, Total	EPA 200.8 5.4	13.00	
N	*Hg	Mercury	EPA 245.1 3	20.00	
N	*MoM	Molybdenum	EPA 200.8 5.4	13.00	
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00	
N	*PbM	Lead, Total	EPA 200.8 5.4	13.00	
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00	
N	*ZnM	Zinc, Total	EPA 200.8 5.4	13.00	
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00	
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00	
N	BOD	Biochemical Oxygen Demand (BOD5)	SM 5210 B-2001	20.00	
	CSR	Composite Sampler Rental		100.00	

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 4 of 6

Quotation

116000

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Contract Pricing 07/2015-06/2016

121	NRH-NID007 - Comp		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	NOSV	NORE Semivolatile Hydrocarbons	EPA 625	350.00	
	PucH	Sampling/Pickup Charge		90.00	
N	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2	31.00	
N	TSS	Total Suspended Solids	SM 2540 D-97	20.00	
Sample Fee Total				\$793.00	

122	NRH-NID007 - Grab		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00	
N	HEM	Oil and Grease (HEM)	EPA 1664B	44.00	
N	NOVO	NORE Volatiles by GC/MS	EPA 624	145.00	
N	pH	pH (Onsite)	SM 4500-H+ B-2000	12.00	
Sample Fee Total				\$238.00	

124	Biocide-NID014 - Grab		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	*AgM	Silver, Total	EPA 200.8 5.4	13.00	
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00	
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00	
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00	
N	*CuM	Copper, Total	EPA 200.8 5.4	13.00	
N	*Hg	Mercury	EPA 245.1 3	20.00	
N	*MoM	Molybdenum	EPA 200.8 5.4	13.00	
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00	
N	*PbM	Lead, Total	EPA 200.8 5.4	13.00	
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00	
N	*ZnM	Zinc, Total	EPA 200.8 5.4	13.00	
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00	
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00	
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00	
N	HEM	Oil and Grease (HEM)	EPA 1664B	44.00	
N	SBD5	BOD (Subcontract)	SM 5210 B-2001	40.00	
N	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2	31.00	
N	pH	pH (Onsite)	SM 4500-H+ B-2000	12.00	
Sample Fee Total				\$346.00	

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 5 of 6

Quotation

116000

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Contract Pricing 07/2015-06/2016

125	Biocide-NID014 - Sampling		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
	PucH	Sampling/Pickup Charge		90.00	
Sample Fee Total				\$90.00	

126	Astellas-NID002 - Comp		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	*AgM	Silver, Total	EPA 200.8 5.4	13.00	
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00	
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00	
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00	
N	*CuM	Copper, Total	EPA 200.8 5.4	13.00	
N	*Hg	Mercury	EPA 245.1 3	20.00	
N	*MoM	Molybdenum	EPA 200.8 5.4	13.00	
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00	
N	*PbM	Lead, Total	EPA 200.8 5.4	13.00	
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00	
N	*ZnM	Zinc, Total	EPA 200.8 5.4	13.00	
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00	
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00	
N	BOD	Biochemical Oxygen Demand (BOD5)	SM 5210 B-2001	20.00	
	CSR	Composite Sampler Rental		100.00	
	PucH	Sampling/Pickup Charge		90.00	
N	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2	31.00	
N	TSS	Total Suspended Solids	SM 2540 D-97	20.00	
Sample Fee Total				\$443.00	

127	Astellas- NID002 - Grab		Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	\$AcM	Acetone/Methylene Chloride WW/RX	EPA 524.2 4.1	145.00	
N	AC66	Pharmaceutical Acetates Exp	EPA 1666	250.00	
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00	
N	HEM	Oil and Grease (HEM)	EPA 1664B	44.00	
N	pH	pH (Onsite)	SM 4500-H+ B-2000	12.00	
Sample Fee Total				\$488.00	

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 6 of 6

Quotation

116000

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Contract Pricing 07/2015-06/2016

128	pH QC	Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee
N	pH	pH (Onsite)	SM 4500-H+ B-2000	12.00
Sample Fee Total				\$12.00

Quoted By: MTORRES

Quotation Total: \$4,313.00

Please note that ANA-LAB is accredited nationally to the EPA NELAP standard. Our consistent performance on proficiency samples validates our unparalleled accuracy and precision. This enables Ana-Lab to provide quality results at these competitive prices. We will also provide appropriately cleaned and preserved bottles (that meet EPA specifications) and chain of custody at no extra cost.

Prices are guaranteed for 60 days from the date of the quote, and your submittal of samples indicates your acceptance. With approved credit, our payment terms are NET 30.

ANA-LAB shall provide these ordered services pursuant to our Standard Terms & Conditions Agreement (available for download from the welcome page at www.ana-lab.com or by US mail by request). If we can help further, please contact us. We look forward to working with you on this project.

Thank you,

Monica Torres

Monica Torres
Regional Manager



The accredited column designates accreditation by N - NELAC, or z - not covered under NELAC scope of accreditation.

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 1 of 3

Quotation

115823

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Water
Reclamation

Printed 04/15/2016 9:33:35AM Original Quote Date: 04/15/2016

Contract Pricing 07/2015-06/2016

129	Qtly POTW Plant 4/grab	Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00
	FlCa	Flow/Flow Weighted Calculations		30.00
N	NOVO	NORE Volatiles by GC/MS	EPA 624	145.00
N	Phna	Phenolics, Total Recoverable	EPA 420.4 1	37.00
N	mixf	Flow weighted VOC Comp		10.00
Sample Fee Total				\$259.00

130	Qtly POTW Plant Comp	Liquid Aqueous	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee
N	!PCB	Polychlorinated Biphenyls	EPA 608	90.00
N	!PES	Pesticides by GC	EPA 608	130.00
N	*AgM	Silver, Total	EPA 200.8 5.4	13.00
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00
N	*BeM	Beryllium, Total	EPA 200.8 5.4	13.00
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00
N	*CuM	Copper, Total	EPA 200.8 5.4	13.00
N	*Hg	Mercury	EPA 245.1 3	20.00
N	*MoM	Molybdenum	EPA 200.8 5.4	13.00
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00
N	*PbM	Lead, Total	EPA 200.8 5.4	13.00
N	*SbM	Antimony, Total	EPA 200.8 5.4	13.00
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00
N	*TIM	Thallium, Total	EPA 200.8 5.4	13.00
N	*ZnM	Zinc, Total	EPA 200.8 5.4	13.00
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00
N	NOSV	NORE Semivolatile Hydrocarbons	EPA 625	350.00
Sample Fee Total				\$791.00

A6	Sludge Metals/Classical	Sludge	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee
N	!N3S	Nitrate-Nitrogen	EPA 9056	22.00
N	*AgM	Silver, Total	EPA 6020A	13.00

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

NORE

Page 2 of 3

Quotation

115823

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Contract Pricing 07/2015-06/2016

A6	Sludge Metals/Classical		Sludge	06	Contract Pricing 07/2015-06/2016
Accredited	Test	Name	Method	Fee	
N	*AsM	Arsenic, Total	EPA 6020A	13.00	
N	*CdM	Cadmium, Total	EPA 6020A	13.00	
N	*CrM	Chromium, Total	EPA 6020A	13.00	
N	*CuM	Copper, Total	EPA 6020A	13.00	
N	*HgS	Mercury	EPA 7471A	20.00	
N	*KI	Potassium	EPA 6010C	13.00	
N	*MoM	Molybdenum	EPA 6020A	13.00	
N	*NiM	Nickel, Total	EPA 6020A	13.00	
N	*PI	Phosphorus	EPA 6010C	13.00	
N	*PbM	Lead, Total	EPA 6020A	13.00	
N	*SeM	Selenium, Total	EPA 6020A	13.00	
N	*ZnM	Zinc, Total	EPA 6020A	13.00	
N	301S	Solid Metals Digestion	EPA 200.2 2.8	16.00	
N	747S	Solid Metals Digestion Hg	EPA 7471A	16.00	
N	ARDW	As Received to Dry Weight Basis	Calculation	5.00	
N	CNa	Cyanide	EPA 9014	37.00	
N	NHaN	Ammonia Nitrogen	EPA 350.1 2	25.00	
N	STS%	Total Solids	SM 2540 G-1997	13.00	
N	TKN	Total Kjeldahl Nitrogen	EPA 351.2 2	31.00	
Sample Fee Total				\$341.00	

Quoted By: MTORRES

Quotation Total: \$1,391.00

Please note that ANA-LAB is accredited nationally to the EPA NELAP standard. Our consistent performance on proficiency samples validates our unparalleled accuracy and precision. This enables Ana-Lab to provide quality results at these competitive prices. We will also provide appropriately cleaned and preserved bottles (that meet EPA specifications) and chain of custodies at no extra cost.

Prices are guaranteed for 60 days from the date of the quote, and your submittal of samples indicates your acceptance. With approved credit, our payment terms are NET 30.

ANA-LAB shall provide these ordered services pursuant to our Standard Terms & Conditions Agreement (available for download from the welcome page at www.ana-lab.com or by US mail by request). If we can help further, please contact us. We look forward to working with you on this project.

Thank you,

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

Quotation

115823

NORE

Page 3 of 3

Report To

City of Norman WW
Milby/Squirrel
Wastewater Division
P O Box 370
Norman, OK 73070-0370

Bill To

City of Norman/ WW
Lyle Milby
Wastewater Division
PO Box 370
Norman, OK 73070-

Monica Torres

Monica Torres
Regional Manager



The accredited column designates accreditation by N - NELAC, or z - not covered under NELAC scope of accreditation.

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

Quotation

115999

NORM

Page 1 of 3

Report To

City of Norman WTP
Geri Wellborn
3000 E. Robinson
Norman, OK 73071

Bill To

City of Norman WTP
Geri Wellborn
3000 E. Robinson
Norman, OK 73071

Water Treatment

Printed 05/23/2016 2:47:47PM Original Quote Date: 05/23/2016

Contract Pricing 7/2015 - 6/2016

102	Nitrate-nitrite		Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
<i>Accredited</i>	Test	Name	Method	Fee	
N	!NNL	Nitrate-Nitrite Nitrogen	EPA 300.0 2.1	22.00	
			Sample Fee Total	\$22.00	
103	VOC		Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
<i>Accredited</i>	Test	Name	Method	Fee	
N	!VOA	Volatiles by GC/MS	EPA 524.2 4.1	145.00	
			Sample Fee Total	\$145.00	
104	TOC & FLUORIDE		Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
<i>Accredited</i>	Test	Name	Method	Fee	
N	!FIL	Fluoride	EPA 300.0 2.1	22.00	
N	TOCL	Total Organic Carbon	SM 5310 C-96	33.00	
			Sample Fee Total	\$55.00	
105	Arsenic		Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
<i>Accredited</i>	Test	Name	Method	Fee	
N	*AsM	Arsenic, Total	EPA 200.8 5.4	13.00	
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00	
			Sample Fee Total	\$29.00	
157	Cyanide		Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
<i>Accredited</i>	Test	Name	Method	Fee	
N	CNa	Cyanide	SM 4500-CN ⁻ E-1999	37.00	
			Sample Fee Total	\$37.00	
158	Glyphosate		Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
<i>Accredited</i>	Test	Name	Method	Fee	
N	!GPS	Glyphosate Expansion	EPA 547	200.00	

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201



NORM

Page 2 of 3

Quotation

115999

Report To

City of Norman WTP
Geri Wellborn
3000 E. Robinson
Norman, OK 73071

Bill To

City of Norman WTP
Geri Wellborn
3000 E. Robinson
Norman, OK 73071

Contract Pricing 7/2015 - 6/2016

Sample Fee Total \$200.00

159	Sodium	Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
Accredited	Test	Name	Method	Fee
N	*NaI	Sodium	EPA 200.7 4.4	13.00
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00
Sample Fee Total				\$29.00

160	Nitrite	Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
Accredited	Test	Name	Method	Fee
N	!N2L	Nitrite-Nitrogen, Total	EPA 300.0 2.1	22.00
Sample Fee Total				\$22.00

DW	Drinking Water THM/HAA5	Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
Accredited	Test	Name	Method	Fee
N	!HAA	Haloacetic Acids (HAA5)	EPA 552.2 1	150.00
N	\$TEC	Trihalomethane Expansion Code	EPA 524.2 4.1	100.00
Sample Fee Total				\$250.00

IOC	IOC list	Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
Accredited	Test	Name	Method	Fee
N	!FIL	Fluoride	EPA 300.0 2.1	22.00
N	*BaM	Barium	EPA 200.8 5.4	13.00
N	*BeM	Beryllium, Total	EPA 200.8 5.4	13.00
N	*CdM	Cadmium, Total	EPA 200.8 5.4	13.00
N	*CrM	Chromium, Total	EPA 200.8 5.4	13.00
N	*Hg	Mercury	EPA 245.1 3	20.00
N	*NiM	Nickel, Total	EPA 200.8 5.4	13.00
N	*SbM	Antimony, Total	EPA 200.8 5.4	13.00
N	*SeM	Selenium, Total	EPA 200.8 5.4	13.00
N	*TIM	Thallium, Total	EPA 200.8 5.4	13.00
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	16.00
N	747L	Mercury Liquid Metals Digestion	EPA 245.1 3	16.00
Sample Fee Total				\$178.00





Ana-Lab Corp. P.O. Box 9000 Kilgore, TX 75663

Phone 903/984-0551 FAX 903/984-5914 e-Mail corp@ana-lab.com

LELAP-accredited #02008

Quotation

115999

NORM

Page 3 of 3

Report To

City of Norman WTP
Geri Wellborn
3000 E. Robinson
Norman, OK 73071

Bill To

City of Norman WTP
Geri Wellborn
3000 E. Robinson
Norman, OK 73071

Contract Pricing 7/2015 - 6/2016

RAD		Radionuclide Testing		Liquid Aqueous	01	Contract Pricing 7/2015 - 6/2016
Accredited	Test	Name	Method	Fee		
	*USu	Uranium (DW) Subcontract	EPA 200.8 - Subcontract	33.00		
	226L	Radium 226 DW Subcontract	SM 7500-Ra B - SUB	75.00		
	228L	Radium 228 DW Subcontract	SM 7500-Ra D - SUB	92.00		
	GrAL	Gross Alpha DW Subcontract	SM 7110 B - SUB	45.00		
	GrBL	Gross Beta DW Subcontract	SM 7110 B - SUB	45.00		
Sample Fee Total				\$290.00		

Lead & Copper 10+ Samples

112		Lead & Copper		Liquid Aqueous	02	Lead & Copper 10+ Samples
Accredited	Test	Name	Method	Fee		
N	*CuM	Copper, Total	EPA 200.8 5.4	12.00		
N	*PbM	Lead, Total	EPA 200.8 5.4	12.00		
N	301L	Liquid Metals Digestion	EPA 200.2 2.8	14.00		
Sample Fee Total				\$38.00		

Quoted By: MTORRES

Quotation Total: \$1,295.00

Please note that ANA-LAB is accredited nationally to the EPA NELAP standard. Our consistent performance on proficiency samples validates our unparalleled accuracy and precision. This enables Ana-Lab to provide quality results at these competitive prices. We will also provide appropriately cleaned and preserved bottles (that meet EPA specifications) and chain of custody at no extra cost.

Prices are guaranteed for 60 days from the date of the quote, and your submittal of samples indicates your acceptance. With approved credit, our payment terms are NET 30.

ANA-LAB shall provide these ordered services pursuant to our Standard Terms & Conditions Agreement (available for download from the welcome page at www.ana-lab.com or by US mail by request). If we can help further, please contact us. We look forward to working with you on this project.

Thank you,

Monica Torres

Monica Torres
Regional Manager

The accredited column designates accreditation by N - NELAC, or z - not covered under NELAC scope of accreditation.

Corporate Shipping: 2600 Dudley Rd. Kilgore, TX 75662

Oklahoma Region: 1824 Atchison Suite F Norman OK 73069



NELAP-accredited #T104704201

